



## Congenital syphilis - Rates for infants < 1 year of age: United States, 1981-1997 and the Healthy People year 2000 objective



Note: The surveillance case definition for congenital syphilis changed in 1988.


## Congenital syphilis - Rates in Infants < 1 year of age by race and ethnicity: United States, 1991-1997



Note: Less than 5% of cases had missing race/ethnicity information and were excluded.


# Primary and secondary syphilis - Reported rates for 15-19 year old females by race and ethnicity: United States, 1981-1997

Rate (per 100,000 population)




# Primary and secondary syphilis - Reported rates for 15-19 year old males by race and ethnicity: United States, 1981-1997

Rate (per 100,000 population)




# Primary and secondary syphilis - Age- and gender-specific rates: United States, 1997




# Primary and secondary syphilis - Age-specific rates among women 10-44 years of age: United States, 1981-1997

Rate (per 100,000 population)




# Primary and secondary syphilis - Age-specific rates among men 10-44 years of age: United States, 1981-1997

Rate (per 100,000 population)



# Primary and secondary syphilis - Rates in selected U.S. cities of >200,000 population, 1981-1997 and the Healthy People year 2000 objective


Rate (per 100,000 population)



# Congenital Syphilis - Reported cases for infants <1 year of age and rates of primary and secondary syphilis among women: United States, 1970-1997

P&S rate (per 100,000 population)


Congenital Syphilis cases



Note: The surveillance case definition for congenital syphilis changed in 1988.

## Primary and secondary syphilis - Reported rates: United States, 1970-1997 and the Healthy People year 2000 objective

Rate (per 100,000 population)




## Primary and secondary syphilis - Rates by gender: United States, 1981-1997 and the Healthy People year 2000 objective




## Primary and secondary syphilis - Rates by region: United States, 1981-1997 and the Healthy People year 2000 objective

Rate (per 100,000 population)



# Primary and secondary syphilis - Rates by race and ethnicity: United States, 1981-1997 and the Healthy People year 2000 objective



Note: "Other" includes Asian/Pacific Islander and American Indian/Alaska Native populations

# Syphilis - Reported cases by stage of illness: United States, 1941-1997

